

## INT.L DISPOSABLE PREGELLED ELECTRODES CATALOGUE

Valid from 01/03/2024

Code	Item Description	OEM Ref.	Use	Qty/pack	Qty/carton	
------	------------------	----------	-----	----------	------------	--

### Disposable pregelled electrodes for Monitoring

62.028.02	Disposable Foam adhesive electrode 28x44 mm - 4 mm adaptor - Liquid Gel	F 2844 LG	Monitoring	50	1500	
62.030.01	Disposable Foam adhesive electrode 30 mm diam. - Solid Gel	F 30 SG	Monitoring	30	1200	
62.032.07	Disposable Foam adhesive electrode mm 32x40 mm - Solid Gel	F 3240 SG	Monitoring	50	1500	
62.032.21	Disposable Foam adhesive electrode mm 32x40 mm - Liquid Gel	F 3240 LG	Monitoring	30	1500	
62.034.08	Tab electrodes RT 24 (100 pcs/pouch)	RT 24	Monitoring	100	5000	
62.037.01	Disposable Foam adhesive electrode mm 37x41 mm - Solid Gel	F 3741 SG	Monitoring	30	1500	
62.050.01	Disposable Foam adhesive electrode 50 mm diam. - Solid Gel	F 50 SG	Monitoring	30	1500	
62.050.03	Disposable Foam adhesive electrode 50 mm diam. - Liquid Gel	F 50 LG	Monitoring	30	1200	
62.050.26	Disposable Foam adhesive electrode 50x35 mm - Solid Gel	F 5035 SG	Monitoring	30	1500	
62.055.02	Disposable Foam adhesive electrode 55 mm diam. - Liquid Gel	F 55 LG	Monitoring	30	1200	

### Disposable pregelled electrodes for MRI

62.042.01	Disposable Foam adhesive electrode 42x45 mm - Solid Gel - <b>carbon clip</b>	F 4245 SG	MRI	50	1200	
-----------	---	-----------	-----	----	------	--

### Disposable pregelled electrodes for Holter

62.055.01	Disposable Web adhesive electrode 50 mm diam. - Solid Gel	W 50 SG	Holter	30	1500	
-----------	--	---------	--------	----	------	--

### Disposable pregelled electrodes for Stress Test

62.037.04	Disposable Foam adhesive electrode mm 37x41 mm - Solid Gel	FS 3741 SG	Stress Test	30	1500	
62.050.04	Disposable Foam adhesive electrode 50 mm diam. - Liquid Gel	FS 50 LG	Stress Test	30	1200	
62.050.26	Disposable Foam adhesive electrode 50x35 mm - Solid Gel	F 5035 SG	Stress Test	30	1500	

The present catalogue nullifies and substitutes all the previous one.

APPROVED  
 22/02/2024  
 03/2024