

Item code
 EF Medica

NEUROPHYSIOLOGY

Valid from 01/06/2024

PREWIRED HEADCAPS

CLASSIC PREWIRED CAP

- 64.100.83 Prewired headcap - large adult size (58-62 cm) blue - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
- 64.100.84 Prewired headcap - medium adult size (54-58 cm) red - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
- 64.100.85 Prewired headcap - small adult size (50-54 cm) yellow - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
- 64.100.86 Prewired headcap - extrasmall adult size (46-50 cm) green - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
- 64.100.87 Prewired headcap - large infant size (42-46 cm) light blue - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
- 64.100.88 Prewired headcap - medium infant size (38-42 cm) pink - tin electrodes - 9 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
- 64.100.89 Prewired headcap - small infant size (34-38 cm) brown - tin electrodes - 9 + GND - SUB-D 25pole din multiconnector (1pack=1cap)

Other versions available on request



EAR ELECTRODES - USABLE AS A REFERENCE ELECTRODE

- 64.116.02 AgAgCl ear electrode, 100cm long leadwire and 1,5mm touch proof connector (1pack=2pieces)

Other versions available on request



BODY HARNESSSES

- 64.111.01 120cm long body harness, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)
- 64.111.02 95cm long body harness, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)
- 64.111.03 70cm long body harness, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)
- 64.111.05 40cm long body harness, pediatric version, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)



CHIN HOLDERS

- 64.100.96 Couple of bands for a soft chin holder, adult version
- 64.100.97 Couple of bands for a soft chin holder, pediatric version
- 64.100.98 Couple of bands for a soft chin holder, neonatal version
- 64.118.14 Bridge electrode covering set (1pk=1Ring Holder,100 Fastening Rings,100 Discs)

Other versions available on request



ELECTRODE BOARD ADAPTERS

- 64.112.05 Electrode board adapter connection leadwire for electrodes cap 20 channels with 1,5mm touch proof connector (1pack=1piece)
- 64.112.06 Electrode board adapter connection leadwire for electrodes cap 21 channels with 1,5mm touch proof connector (1pack=1piece)

Other versions available on request



HEADCAPS

EMERGENCY LEADWIRES

- 64.113.06 Emergency electrode for prewired cap - 120 cm - with 1,5mm touch proof connector (1pack=1piece)

Other versions available on request



OTHER ACCESSORIES

- 64.115.03 Adhesive sponge rings for Classic prewired cap (64.100.83-64.100.89) and for prewired cap with moulded and interchangeable electrodes (64.100.07-64.100.13) (1pack=50pieces)
- 64.115.05 Brush for electrode cleaning (1pack=25pieces)



Item code
 EF Medica

NEUROPHYSIOLOGY

Valid from 01/06/2024

PTS HEADCAPS

64.100.82	PTS Headcap with 2 bands with adjustable soft chin holder - adult size - large (1pack=1piece)
64.100.99	PTS Headcap with 4 bands with adjustable soft chin holder - adult size - large (1pack=1piece)
64.100.76	PTS Headcap with 2 bands with adjustable soft chin holder - adult size - small (1pack=1piece)
64.100.79	PTS Headcap with 4 bands with adjustable soft chin holder - adult size - small (1pack=1piece)
64.100.75	PTS Headcap with 2 bands with adjustable soft chin holder - paediatric size (1pack=1piece)
64.100.78	PTS Headcap with 4 bands with adjustable soft chin holder - paediatric size (1pack=1piece)
64.100.77	PTS Headcap with 2 bands with adjustable soft chin holder - paediatric/thin size (1pack=1piece)
64.100.80	PTS Headcap with 4 bands with adjustable soft chin holder - paediatric/thin size (1pack=1piece)
64.100.90	PTS Headcap with 1 band with adjustable soft chin holder - neonatal/thin size (1pack=1piece)

Other versions available on request



BRIDGE ELECTRODES

BRIDGE ELECTRODES

64.117.07	Adult sintered silver/silver chloride bridge electrode with gold plated screw to avoid oxidation - red (1pack=10pieces)
64.117.08	Adult sintered silver/silver chloride bridge electrode with gold plated screw to avoid oxidation - blue (1pack=10pieces)
64.117.09	Paediatric sintered silver/silver chloride bridge electrode with gold plated screw to avoid oxidation - yellow (1pack=10pieces)

Other versions available on request



CONNECTION LEADWIRES

64.119.02	120cm long connection lead wire (10 colours) with 2mm spring plug one side and 1,5mm touchproof connector other side (1pack=10pieces)
64.119.05	120cm long connection lead wire (10 colours) with insulated alligator clip one side and 1,5mm touch proof connector other side (1pack=10pieces)

Other versions available on request



CUP ELECTRODES

REUSABLE MOULDED CUP ELECTRODES

64.120.14	Stamped AgAgCl 10mm cup electrode, moulded connection, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.120.05	Stamped AgAgCl 10mm cup electrode, moulded connection, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.120.09	Stamped AgAgCl 10mm cup electrode, moulded connection, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.14	Stamped gold plated 10mm cup electrode, moulded connection, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.05	Stamped gold plated 10mm cup electrode, moulded connection, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.09	Stamped gold plated 10mm cup electrode, moulded connection, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)

Other versions available on request



PEDIATRIC CUP ELECTRODES

64.129.14	Stamped AgAgCl 6mm pediatric cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.129.05	Stamped AgAgCl 6mm pediatric cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.129.09	Stamped AgAgCl 6mm pediatric cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.18	Stamped gold plated 6mm pediatric cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.19	Stamped gold plated 6mm pediatric cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.21	Stamped gold plated 6mm pediatric cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)

Other versions available on request



Item code
 EF Medica

NEUROPHYSIOLOGY

Valid from 01/06/2024

REUSABLE LONG TIME MONITORING CUP ELECTRODES

- 64.123.21 Ltm AgAgCl 10mm cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.123.22 Ltm AgAgCl 10mm cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.123.23 Ltm AgAgCl 10mm cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.123.24 Ltm gold plated 10mm cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.123.25 Ltm gold plated 10mm cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.123.26 Ltm gold plated 10mm cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)

Other versions available on request



DISPOSABLE CUP ELECTRODES

- 64.138.14 Disposable AgAgCl 10mm cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.138.15 Disposable AgAgCl 10mm cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
- 64.138.17 Disposable AgAgCl 10mm cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)



GEL AND CREAM

- 64.139.18 EEG gel into 250gr bottle (1pack=1bottle)
- 64.139.19 EEG gel into 250gr jar (1pack=3jars)
- 64.139.20 Scrub cream into 160gr bottle (1pack=24bottles)
- 64.139.21 Adhesive and conductive cream into 250gr jar (1pack=3jars)

DISPOSABLE ELECTRODES

ADHESIVE ELECTRODES

- 64.139.16 15X20mm disposable surface electrode with 15cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
- 64.139.05 15X20mm disposable surface electrode with 100cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
- 64.139.07 15X20mm disposable surface electrode with 150cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
- 64.139.25 15X20mm disposable surface electrode with 250cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
- 64.139.17 20X25mm disposable surface electrode with 15cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
- 64.139.01 20X25mm disposable surface electrode with 100cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
- 64.139.03 20X25mm disposable surface electrode with 150cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
- 64.139.26 20X25mm disposable surface electrode with 250cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
- 64.139.11 15X20mm disposable surface electrode with 8cm long lead wire and 0,7mm touchproof plug (1pack=240pieces/12 electrodes per pouch)
- 64.139.12 20X25mm disposable surface electrode with 8cm long lead wire and 0,7mm touchproof plug (1pack=240pieces/12 electrodes per pouch)



GROUND ADHESIVE ELECTRODES

- 64.140.11 35X45mm disposable surface electrode with 150cm lead wire and 1,5mm touchproof connector (1pack=80pieces/4 electrodes per pouch)



SNAP ADHESIVE ELECTRODES

- 64.140.05 24mm diam disposable surface electrode with stud connection (1pack=500pieces/25 electrodes per pouch)
- 64.140.07 35X45mm disposable surface electrode with snap connection (1pack=80pieces/4 electrodes per pouch)

Other versions available on request

CONNECTION LEADWIRES

MONOPOLAR CONNECTION LEADWIRES

- 64.140.12 100cm monopolar connection cable, one side 1mm socket, other side 1,5mm touchproof connector (1pack=10pieces)
- 64.140.13 100cm monopolar connection cable, one side 1,5mm protected plug, other side 1,5mm touchproof connector (1pack=10pieces)
- 64.140.14 100cm monopolar connection cable, one side 0,7mm socket, other side 1,5mm touchproof connector (1pack=10pieces)
- 64.140.15 100cm monopolar connection cable, one side stud connection, other side 1,5mm touchproof connector (1pack=10pieces)
- 64.140.16 150cm monopolar connection cable, one side stud connection, other side 1,5mm touchproof connector (1pack=10pieces)
- 64.140.17 250cm monopolar connection cable, one side stud connection, other side 1,5mm touchproof connector (1pack=10pieces)



Item code
 EF Medica

NEUROPHYSIOLOGY

Valid from 01/06/2024

MULTIPOLAR CONNECTION LEADWIRES

64.125.01	100cm flexible shielded connection cable, one side 3 snap connectors, other side 5-pole din connector (1pack=1piece)
64.125.02	100cm flexible shielded connection cable, one side 3 snap connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.03	100cm flexible shielded connection cable, one side 3 0,7mm socket connectors, other side 5-pole din connector (1pack=1piece)
64.125.04	100cm flexible shielded connection cable, one side 3 0,7mm socket connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.05	100cm flexible shielded connection cable, one side 3 1,5mm protected plug, other side 5-pole din connector (1pack=1piece)
64.125.06	100cm flexible shielded connection cable, one side 3 1,5mm protected plug, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.07	100cm flexible shielded connection cable, one side 3 1mm sockets, other side 5-pole din connector (1pack=1piece)
64.125.08	100cm flexible shielded connection cable, one side 3 1mm sockets, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.09	100cm flexible shielded connection cable, one side 3 alligator clip, other side 5-pole din connector (1pack=1piece)
64.125.10	100cm flexible shielded connection cable, one side 3 alligator clip, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.11	100cm flexible shielded connection cable, one side 2 snap connectors, other side 5-pole din connector (1pack=1piece)
64.125.12	100cm flexible shielded connection cable, one side 2 snap connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.13	100cm flexible shielded connection cable, one side 2 0,7mm socket connectors, other side 5-pole din connector (1pack=1piece)
64.125.14	100cm flexible shielded connection cable, one side 2 0,7mm socket connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.15	100cm flexible shielded connection cable, one side 2 1,5mm protected plug, other side 5-pole din connector (1pack=1piece)
64.125.16	100cm flexible shielded connection cable, one side 2 1,5mm protected plug, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.17	100cm flexible shielded connection cable, one side 2 1mm sockets, other side 5-pole din connector (1pack=1piece)
64.125.18	100cm flexible shielded connection cable, one side 2 1mm sockets, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.19	100cm flexible shielded connection cable, one side 2 alligator clip, other side 5-pole din connector (1pack=1piece)
64.125.20	100cm flexible shielded connection cable, one side 2 alligator clip, other side 3 1,5mm touchproof connectors (1pack=1piece)

Other versions available on request



NEEDLE ELECTRODES

SUBDERMAL NEEDLE ELECTRODES

64.141.18	Disposable moulded subdermal needle electrode, diam.0,40(27G)x13mm with 100cm long leadwire (5 colors) and 1,5mm touchproof connector (1pack=24needles)
64.143.07	Disposable moulded subdermal needle electrode, diam.0,40(27G)x13mm with 150cm long leadwire (5 colors) and 1,5mm touchproof connector (1pack=24needles)
64.141.20	Disposable moulded subdermal needle electrode, diam.0,40(27G)x13mm with 250cm long leadwire (5 colors) and 1,5mm touchproof connector (1pack=24needles)
64.141.01	Disposable moulded subdermal needle electrode, diam.0,35(28G)x12mm with 8cm long leadwire (white) and 1mm plug (1pack=250needles)
64.141.21	Disposable moulded subdermal needle electrode, diam.0,35(28G)x18mm with 8cm long leadwire (white) and 1mm plug (1pack=250needles)
64.141.23	Disposable moulded subdermal hook needle electrode, diam.0,40(27G)x13mm with 100cm leadwire and 1,5mm touchproof connector (1pack=24needles)
64.141.24	Disposable moulded subdermal hook needle electrode, diam.0,40(27G)x13mm with 150cm leadwire and 1,5mm touchproof connector (1pack=24needles)
64.141.25	Disposable moulded subdermal hook needle electrode, diam.0,40(27G)x13mm with 250cm leadwire and 1,5mm touchproof connector (1pack=24needles)



TWISTED SUBDERMAL NEEDLE ELECTRODES

64.143.08	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 2 100cm leadwires and 1,5mm touchproof connector (1pack=20set)
64.143.09	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 2 150cm leadwires and 1,5mm touchproof connector (1pack=20set)
64.143.10	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 2 250cm leadwires and 1,5mm touchproof connector (1pack=20set)
64.143.11	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 3 100cm leadwires and 1,5mm touchproof connector (1pack=10set)
64.143.14	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 3 150cm leadwires and 1,5mm touchproof connector (1pack=10set)
64.143.17	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 3 250cm leadwires and 1,5mm touchproof connector (1pack=10set)



SPIRAL NEEDLE ELECTRODES

64.143.20	Disposable spiral needle electrodes, with 100cm leadwire and 1,5 touchproof connector (1pack=24needles)
64.143.21	Disposable spiral needle electrodes, with 150cm leadwire and 1,5 touchproof connector (1pack=24needles)
64.143.22	Disposable spiral needle electrodes, with 250cm leadwire and 1,5 touchproof connector (1pack=24needles)



EMG CONCENTRIC NEEDLE ELECTRODES

Item code
 EF Medica

NEUROPHYSIOLOGY


Valid from 01/06/2024

- 65.100.18 30G diam.0,30x25mm, disposable concentric needle electrode (purple), concentric connection (1pack=25needles)
- 65.100.02 28G diam.0,35x30mm, disposable concentric needle electrode (red), concentric connection (1pack=25needles)
- 65.100.03 28G diam.0,35x40mm, disposable concentric needle electrode (grey), concentric connection (1pack=25needles)
- 65.100.17 26G diam.0,45x30mm, disposable concentric needle electrode (orange), concentric connection (1pack=25needles)
- 65.100.05 26G diam.0,45x40mm, disposable concentric needle electrode (black), concentric connection (1pack=25needles)
- 65.100.06 26G diam.0,45x50mm, disposable concentric needle electrode (yellow), concentric connection (1pack=25needles)
- 65.100.08 23G diam.0,60x70mm, disposable concentric needle electrode (brown), concentric connection (1pack=25needles)



DISPOSABLE SINGLE FIBER AND MACRO NEEDLE ELECTRODES

- 65.100.09 26G diam. 0,45x37mm, disposable single fiber needle electrode (blue), concentric connection (1pack=5needles)
- 65.100.19 26G diam. 0,45x37mm, disposable macro needle electrode (blue), concentric connection (1pack=5needles)



CONNECTION CABLE

- 65.111.11 100cm extraflexible connection leadwire for concentric connection and 5-pole DIN45322 connector (1pack=1piece)
- 65.111.02 200cm extraflexible connection leadwire for concentric connection and 5-pole DIN45322 connector (1pack=1piece)



Other versions available on request

EMG MONOPOLAR INSULATED NEEDLE ELECTRODES

- 65.113.01 28G diam. 0,35x15mm disposable monopolar needle electrode, with 76cm leadwire (black) and 1,5mm touchproof connector (1pack=25needles)
- 65.113.09 28G diam. 0,35x25mm disposable monopolar needle electrode, with 76 cm leadwire (red) and 1,5 mm touchproof connector (1pack=25needles)
- 65.113.10 28G diam. 0,35x37mm disposable monopolar needle electrode, with 76cm leadwire (orange) and 1,5mm touchproof connector (1pack=25needles)
- 65.113.11 26G diam. 0,45x37mm disposable monopolar needle electrode, with 76cm leadwire and (green) 1,5mm touchproof connector (1pack=25needles)
- 65.113.12 26G diam. 0,45x50mm disposable monopolar needle electrode, with 76cm leadwire and (blue) 1,5mm touchproof connector (1pack=25needles)
- 65.113.13 26G diam. 0,45x75mm disposable monopolar needle electrode, with 76cm leadwire and (violet) 1,5mm touchproof connector (1pack=25needles)



NEEDLE ELECTRODES FOR BOTULINUM TOXIN

- 65.113.04 30G diam. 0,30mm x 25mm, disposable needle electrode for botulinum toxin, 70cm leadwire (blue) and 1,5mm touchproof connector (1pack=10needles)
- 65.113.05 27G diam. 0,40mm x 25mm, disposable needle electrode for botulinum toxin, 70cm leadwire (green) and 1,5mm touchproof connector (1pack=10needles)
- 65.113.06 26G diam. 0,45mm x 37mm, disposable needle electrode for botulinum toxin, 70cm leadwire (pink) and 1,5mm touchproof connector (1pack=10needles)
- 65.113.07 25G diam. 0,50mm x 50mm, disposable needle electrode for botulinum toxin, 70cm leadwire (white) and 1,5mm touchproof connector (1pack=10needles)
- 65.113.08 22G diam. 0,70mm x 75mm, disposable needle electrode for botulinum toxin, 70cm leadwire (grey) and 1,5mm touchproof connector (1pack=10needles)



POLYSOMNOGRAPHY

REUSABLE SLEEP SENSORS

- 64.144.02 Airflow thermal sensor, 3 way, adult size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.13 Airflow thermal sensor, 3 way, paediatric size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.16 Airflow thermal sensor, 3 way, neonatal size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.11 Respiratory effort sensor, adult size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.12 Respiratory effort sensor, paediatric size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.01 Snoring sensor, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.08 Tremor sensor, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
- 64.144.04 Limb movement sensor, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)



DISPOSABLE SLEEP SENSORS

- 64.144.05 Disposable respiration sensor, paediatric size, 2m long leadwire to be used with 64.144.10 (1pack=5pieces)
- 64.144.10 Reusable module transducer for disposable adult/paediatric respiration sensor (1pack=1piece)



Item code
 EF Medica

NEUROPHYSIOLOGY

Valid from 01/06/2024

NERVE CONDUCTION STUDIES

BIPOLAR SURFACE STIMULATION ELECTRODES

- 65.118.03 Bipolar stimulation electrode, 25mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connectors (1pack=1piece)
- 65.118.04 Bipolar stimulation electrode, 25mm interelectrode distance, 150cm shielded leadwire and Spole DIN45322 connector (1pack=1piece)
- 65.118.05 Bipolar stimulation electrode, 10mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connectors (1pack=1piece)
- 65.118.06 Bipolar stimulation electrode, 10mm interelectrode distance, 150cm shielded leadwire and Spole DIN45322 connector (1pack=1piece)



RECORDING BAR ELECTRODES

- 66.117.11 Recording bar electrode, 25mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connectors (1pack=1piece)
- 66.117.08 Recording bar electrode, 25mm interelectrode distance, 150cm shielded leadwire and Spole DIN4522 connector (1pack=1piece)
- 66.117.17 Recording bar electrode, 40mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connector (1pack=1piece)
- 66.117.14 Recording bar electrode, 40mm interelectrode distance, 150cm shielded leadwire and Spole DIN4522 connector (1pack=1piece)



BIPOLAR BAR STIMULATION ELECTRODES

- 65.115.03 Bipolar bar stimulation electrode, 30mm interelectrode distance, 100cm leadwire and 1,5mm touchproof connectors (1pack=1piece)
- 65.115.04 Bipolar bar stimulation electrode, 30mm interelectrode distance, 100cm shielded leadwire and Spole DIN45322 connector (1pack=1piece)
- 65.115.05 Bipolar bar stimulation electrode, with rubber band grip, 30mm interelectrode distance, 100cm leadwire and 1,5mm touchproof connectors (1pack=1piece)
- 65.115.06 Bipolar bar stimulation electrode, with rubber band grip, 30mm interelectrode distance, 100cm shielded leadwire and Spole DIN45322 connector (1pack=1piece)



DISK ELECTRODES

- 65.118.22 Couple of disk electrodes diam. 10mm gold plated with 100cm leadwire and 1,5mm touchproof connector (1pack=1piece)

Other versions available on request



RING ELECTRODES


- 65.114.11 Pair of stainless steel spring ring electrodes with 100cm leadwire and 1,5mm touchproof connectors (1pack=1pair)
- 65.114.10 Pair of stainless steel spring ring electrodes with 100cm shielded leadwire and Spole DIN45322 connector (1pack=1pair)
- 65.114.14 Pair of thin stainless steel spring ring electrodes with 100cm leadwire and 1,5mm touchproof connectors (1pack=1paire)
- 65.114.15 Pair of thin stainless steel spring ring electrodes with 100cm shielded leadwire and Spole DIN45322 connector (1pack=1pair)



CONNECTION SYSTEM

- 65.114.06 A pair of stainless steel rings electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
- 65.114.07 A pair of stainless steel tin rings electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
- 65.114.08 A pair of AgAgCl flat electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
- 65.114.03 A pair of AgAgCl disc electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
- 65.114.02 A pair of 1mm sockets moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
- 65.114.09 A pair of stud adapters moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
- 65.114.05 A pair of insulated alligator clips moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
- 65.111.11 100cm extraflexible connection leadwire for concentric connection and 5-pole DIN45322 connector (1pack=1piece)

Other versions available on request



GROUND ELECTRODES AND ADAPTERS

GROUND BAND ELECTRODES

- 65.117.01 2,5x25cm long conductive elastic ground band electrode with press stud connection and connection leadwire with 1,5mm touch proof connector (1pack=1piece)
- 65.117.02 2,5x40cm long conductive elastic ground band electrode with press stud connection and connection leadwire with 1,5mm touch proof connector (1pack=1piece)
- 65.117.03 2,5x70cm long conductive elastic ground band electrode with press stud connection and connection leadwire with 1,5mm touch proof connector (1pack=1piece)

Other versions available on request



DIFFERENT ACCESSORIES

- 60.113.27 Jumper leadwire 12cm with 1,5mm touchproof connector (1pack=5pieces)

